



PA # : CAL00044810		MAR PL, #A, SAN DI	DATE	NVOICE #:
IVIE		0,	DATE	TIME RECIEVED
ONE	EMAIL		I	TIME PROMISED
DECC		O 30		
RESS		Z.		
	STATE	ZIPCODE	VEHICLE COLOR	
Œ C	LICENSE PLATE	ODOMETER	TRANSMISSION TY	PF —
		72	THURISMISSION T	AUTOMATIC MANUAL
EL	YEAR	VIN #		
1		Visual Inspection	Notes	
	0,	7, 7	, O,	
	4		7	
			7. 152	
7	- 3 8			
4 7				
	64/7			
	79,00			
T.				· O
7	1 2	(D)		7.
,	70,			
	$Q_{\lambda}$		•	0. 1
Saction 2.Who	al Assambly	70		4
Section 2: Whe	ei Assembly			
Tire Inspection	(maining upo 2 mana uda an ma	and want the TOD of	oar in dicators) ( cidayyall inco	octions:
Location Press		Outside OEM*	ear indicators) & sidewall insp Comm	
Left Front				erits.
	psi			
Right Rear				O V
Right Front	nsi psi			
Wheel Inspectio				
		orque: Locatio	n OEM* Style, C	ondition & Torque:
				onandon a lorque.
Location OEA		RIANT ROS	AI	
Location OEA Left Front TY	_N	Right Fro		
Location OEN Left Front  Left Rear  Y	_N	Right Fro		
Location OEN Left Front □Y [ Left Rear □Y [ Brake Inspection	NN	Right Fro		7
Location OEN Left Front TY Left Rear Y Brake Inspection Brake Pads (min	N N N N N N N N N N N N N N N N N N N	Right Fro		3
Location OEN Left Front TY Left Rear Y Brake Inspection Brake Pads (min & Rotor Inspecti	N N N N N N N N N N N N N N N N N N N	Right Fro	ont □Y□N ———	750
Location OEN Left Front	N N imum 5 mm of friction mat on: OEM*	Right Fro	ont □Y□N OEM* Comments:	To The
Location OEN Left Front	□N □N imum 5 mm of friction mat on: □N OEM* □M OEM*	Right Fro	OEM* Comments:	Z <sub>2</sub> P <sub>2</sub>
Location OEN Left Front □Y [ Left Rear □Y [ Brake Inspection Brake Pads (min & Rotor Inspection Location	N N imum 5 mm of friction mat on: OEM*	Right Fro	ont □Y□N OEM* Comments:	75 7 PO

Body & Mechanical

	Section 3: Body Condition, Fit & Finish				
	Meets European Coach Inc		Meets	uropean Coach Inc	
	Area Guidelines & Standarts C	Comments Area		nes & Standarts	Comments
	Front bumper   —		s Area	□Y □N	
	Hood $\Box$		dshield	□Y □N	
	Core support		window	□Y □N	
	Engine carrying rails		rior mirrors	□Y □N	
	Inner fenders		rior mirror	□Y □N	
	Front fenders: left & right	Inte			
	Doors: left/right, front/back		r weather seal		
	A pillar: left/right		et/floor mats	$\overline{\Box}$	
4	B pillar: left/right		od/ aluminium trim		
	C pillar: left/right		holder (s)	ī	
	D pillar: left/right		rior light (s)	$\Box$	
	Rocker/ sill panels		rebox		
	Roof	Sea			
	COnvertible top		dliner		
	Sunroof	Boo			
	Quarter panel: left/ right — —	Boo			
	Antenna	Too			
	Trunk lid		(model dependent)		
	Tailgate (model dependent)		go cover (optional)		
	Rear license plate	Key			
	Rear tailight assemblies	Mas		0 1 2	
	Rear bumper — —	Vale	t (model dependent)		
	Rear floor plan	R Di	lar Stickers		
	Inner trunk panels — — —	VIN		П	
	Fuel-filter door —	——— Plac			
	Mirror assembly (2)		aiu		
	Alignment of all panels				
	Section 4: Mechanical				
	Section 4: Mechanical				
	Meets European Coach Inc			European Coach Inc	
	Meets European Coach Inc Guidelines & Standarts C	Comments	Guideli	European Coach Inc nes & Standarts	Comments
	Meets European Coach Inc Guidelines & Standarts ← C Hedlight assembly ← □		Guideli I levels: Oil		
	Meets European Coach Inc Guidelines & Standarts C Hedlight assembly		Guideli I levels: Oil Brake	nes & Standarts	
	Meets European Coach Inc Guidelines & Standarts C Hedlight assembly Fog light assembly Headlight washer jets		Guideli I levels: Oil Brake Power steer	nes & Standarts	
	Meets European Coach Inc Guidelines & Standarts CHedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets		Guideli I levels: Oil Brake Power steer Windshield	nes & Standarts  □  ing  washer	
	Meets European Coach Inc Guidelines & Standarts CHedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock		Guideli I levels: Oil Brake Power steer Windshield Transmissio	nes & Standarts  □  ing  washer	
	Meets European Coach Inc Guidelines & Standarts CHedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions	Fluid	Guideli I levels: Oil Brake Power steer Windshield Transmissio Rear axle	nes & Standarts  □  ing  washer	
	Meets European Coach Inc Guidelines & Standarts CHedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions	Fluid	Guideli I levels: Oil Brake Power steer Windshield Transmissio Rear axle lant Coolant	nes & Standarts	Comments
	Meets European Coach Inc Guidelines & Standarts CHedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions	Fluid	Guideli I levels: Oil Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10l	nes & Standarts	Comments
	Meets European Coach Inc Guidelines & Standarts CHedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions Seatbelt (s)	Fluid Coo Prote	Guideli I levels: Oil Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10l (circle one)	nes & Standarts	Comments 30F -35F
	Meets European Coach Inc Guidelines & Standarts CHedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions Seatbelt (s) Airbag (s)	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10l (circle one) SERVIC	nes & Standarts	Comments 30F -35F
	Meets European Coach Inc Guidelines & Standarts CHedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions Seatbelt (s) Airbag (s) Child locking functions	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10l (circle one) SERVIC	nes & Standarts	Comments 30F -35F
	Meets European Coach Inc Guidelines & Standarts Cuidelines & Cuidelines & Cuidelines Cuidelines & Cuidelines & Cuidelines Cuidelines & Cuidelines & Cuidelines & Cuidelines Cuidelines & Standarts Cuidelines & Cuidelines & Cuidelines Cuidelines & Standarts Cuidelines & Standarts Cuidelines & Cuidelines & Cuidelines Cuidelines	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10! (circle one) SERVIC luid leaks: (of compon tanks & cou	nes & Standarts	Comments 30F -35F
	Meets European Coach Inc Guidelines & Standarts Cuidelines & Cuidelines & Cuidelines & Cuidelines Cuidelines & Standarts Cuidelines & Standarts Cuidelines & Cuidelines & Cuidelines Cuidelines & Cuidelines & Cuidelines & Cuidelines Cuidelines	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10l (circle one) SERVIC Iluid leaks: (of compon tanks & cou Transmissio Differential	nes & Standarts	Comments 30F -35F
	Meets European Coach Inc Guidelines & Standarts Cuidelines & Cuidelines & Cuidelines Cuidelines & Cuidelines & Cuidelines Cuidelines Cuidelines & Cuidelines & Cuidelines Cuidelines & Cuidelines Cuidelines & Cuidelines Cuidelines & Cui	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10l (circle one) SERVIC Iuid leaks: (of compon tanks & cou Transmissio Differential CV joints & k	nes & Standarts	Comments 30F -35F
	Meets European Coach Inc Guidelines & Standarts Cuidelines & Standar	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10l (circle one) Iuid leaks: (of compon tanks & cou Transmissio Differential CV joints & b Gas	nes & Standarts	Comments 30F -35F
	Meets European Coach Inc Guidelines & Standarts  Hedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions Seatbelt (s) Airbag (s) Child locking functions Fuel-filter door locking Trunk lock Gas shocks Suspension components Front control arm bushings	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10l (circle one) Iuid leaks: (of compon tanks & cou Transmissio Differential CV joints & k Gas Engine oil	nes & Standarts	Comments 30F -35F
	Meets European Coach Inc Guidelines & Standarts  Hedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions Seat belt (s) Airbag (s) Child locking functions Fuel-filter door locking Trunk lock Gas shocks Suspension components Front control arm bushings Standarts Cachelica Coach Inc Cachelica Coach In	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10l (circle one) SERVIC luid leaks: (of compon tanks & cou Transmissio Differential CV joints & k Gas Engine oil Brake	nes & Standarts	Comments 30F -35F
	Meets European Coach Inc Guidelines & Standarts  Hedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions Seat belt (s) Airbag (s) Child locking functions Fuel-filter door locking Trunk lock Gas shocks Suspension components Front control arm bushings Steering Major component mounts	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10 (circle one) Iuid leaks: (of compon tanks & cou Transmissio Differential CV joints & b Gas Engine oil Brake Power steer	nes & Standarts	Comments 30F -35F
	Meets European Coach Inc Guidelines & Standarts  Hedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions Seatbelt (s) Airbag (s) Child locking functions Fuel-filter door locking Trunk lock Gas shocks Suspension components Front control arm bushings Steering Major component mounts Exhaust system	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10 (circle one) Iuid leaks: (of compon tanks & cou Transmissio Differential CV joints & b Gas Engine oil Brake Power steer Shocks & str	nes & Standarts	Comments 30F -35F
	Meets European Coach Inc Guidelines & Standarts  Hedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions Seat belt (s) Airbag (s) Child locking functions Fuel-filter door locking Trunk lock Gas shocks Suspension components Front control arm bushings Steering Major component mounts Exhaust system Belts	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10l (circle one) SERVIC Iluid leaks: (of compon tanks & cou Transmissio Differential CV joints & b Gas Engine oil Brake Power steer Shocks & str Self-leveling	nes & Standarts	Comments 30F -35F
	Meets European Coach Inc Guidelines & Standarts  Hedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions Seatbelt (s) Airbag (s) Child locking functions Fuel-filter door locking Trunk lock Gas shocks Suspension components Front control arm bushings Steering Major component mounts Exhaust system	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10l (circle one) Iuid leaks: (of compon tanks & cou Transmissio Differential CV joints & b Gas Engine oil Brake Power steer Shocks & str Self-leveling Coolant	nes & Standarts	Comments 30F -35F
	Meets European Coach Inc Guidelines & Standarts  Hedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions Seat belt (s) Airbag (s) Child locking functions Fuel-filter door locking Trunk lock Gas shocks Suspension components Front control arm bushings Steering Major component mounts Exhaust system Belts	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10l (circle one) Iuid leaks: (of compon tanks & coul Transmissio Differential CV joints & b Gas Engine oil Brake Power steer Shocks & str Self-leveling Coolant A/C	nes & Standarts	F-30F -35F GOOD
	Meets European Coach Inc Guidelines & Standarts  Hedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions Seat belt (s) Airbag (s) Child locking functions Fuel-filter door locking Trunk lock Gas shocks Suspension components Front control arm bushings Steering Major component mounts Exhaust system Belts	Fluid Coo Prote	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10l (circle one) Iuid leaks: (of compon tanks & cou Transmissio Differential CV joints & b Gas Engine oil Brake Power steer Shocks & str Self-leveling Coolant A/C ery Voltage: 11.7	nes & Standarts	F-30F -35F GOOD
	Meets European Coach Inc Guidelines & Standarts  Hedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions Seat belt (s) Airbag (s) Child locking functions Fuel-filter door locking Trunk lock Gas shocks Suspension components Front control arm bushings Steering Major component mounts Exhaust system Belts	Fluid	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10 (circle one) SERVIC Iluid leaks: (of compon tanks & cou Transmissio Differential CV joints & li Gas Engine oil Brake Power steer Shocks & str Self-leveling Coolant A/C ery Voltage: 11.7 (circle one)	nes & Standarts	Table 12.5 12.7 GOOD
	Meets European Coach Inc Guidelines & Standarts  Hedlight assembly Fog light assembly Headlight washer jets Wiper blade, assembly & jets Door handle, hinge & lock Central lockimg functions Alarm functions Seat and headrest functions Seat belt (s) Airbag (s) Child locking functions Fuel-filter door locking Trunk lock Gas shocks Suspension components Front control arm bushings Steering Major component mounts Exhaust system Belts	Fluid	Guideli Brake Power steer Windshield Transmissio Rear axle lant Coolant ection Level: -5F -10 (circle one) SERVIC Iluid leaks: (of compon tanks & cou Transmissio Differential CV joints & li Gas Engine oil Brake Power steer Shocks & str Self-leveling Coolant A/C ery Voltage: 11.7 (circle one)	nes & Standarts	F-30F -35F GOOD

## Road Test Section 5: Stationary Review Mileage before: Mileage after:

	W //	Meets European Coach Inc	
	Area	Guidelines & Standarts	Comments
Seat Functions	Seatbelt		
	Front/back-up/down		
	Headrest		
	Lumbar (where applicable)	)	
	Seat ventilation	, o -	
	Massage seats		
Mirror Functions	Outside left/right		
	Interior - Gentex	<b>№</b> (1)	
Navigation System	Functional Test and Deliver	rwith	
	a working CD or DVD		
	Night vision with infrared		
Windshield	Rain sensor operation		
	Heads-up display (model o	dependent) 🗆	
On-Board Computer	Functional test		
Steering Wheel	Adjustable		<u></u>
	Airbag		
	Audio functions		
	Horn function		
4 %	Heat function		1
Stalk controls	Wiper/Washer		
	High beams		
マール	Computer		
Pedal Function	Gas		3 5
	Brake		
Gearshift Function			
Parking Brake Function			74.
HVAC Control	Heat: front & rear (optional)	) 50F 55F 60F 65F	70F 75F 85F
	(circle one)	SERVICE ACCEPTAB	
	A/C: front & rear (optional) (circle one)	40F 45F 50F 55F GOOD ACCEPTAGE	60F 65F 70F BLE SERVICE
	Fan		
	Temp range	<b>₩</b> . □	0 7 0
	Blower speeds		
	Blower: Defrost		1
	Center		
	Lower		
	Vent controls		
	Windshield defogger		
	Rear window defroster	<b>ア</b> 。ロ か	
	Recirculating	<i>'</i>	
Audio Function	Radio:	10	
	AM		
	FM		<u> </u>
	CD		
	Aux Input	5 EQ T	
	Satellite Radio		
	Speakers:		10
	Balance		0

Fade

## Road Test

Stationary Review	(cont`d.)		
Electrical	Area Vanity/ visor Map/ Interior Headlights Fog lights	Meets European Coach Inc Guidelines & Standarts	Comments
O. T. Co.	Turn signals Hazard Flasher Parking/ side maker Brake lights (3) Back-up lights License plate lights Dash and console		
7	Door lock Seat heater (s) Power window (s) Cigarette lighter (s) Power sunroof Rear sunshade (s)		8
Section 6: Rolling R			
Checklist to be complete	ed following testing cycle, not		
	Aroa	Meets European Coach Inc	Comments
Engine Perfomance	Area Cold/hot starting Idle smoothness Acceleration	Guidelines & Standarts	Comments
Transmission Shifting Cruise Control Noise	Acceleration Automatic Functions (Active if equipped Wind Squeaks Rattles		
Vehicle Handling	Vibration Stability Braking ABS DSC		Visual Inspection Fe
Steering Wheel Instrument Gauges Other:	Alignment Operation		*Must be paid Prior to Inspectio
Section 7: Approva			0, 3
CLAIMER: European Coach I chanical repair only at the tiles ons or property resulting fropean Coach Inc does not a ticular use in regard to the irection of the irection of the irection is limited to vising the internal examination of	nc inspections are perfomed for me and mileage of inspections. I om the failure of any parts or co cknowledge or provide any war inspection, perfomance, fitness of an Coach Inc does not inspect val al findings only. European Coac vehicle parts or components. El	mponents (whether or not inspected ranties (expressed or implied) includion or function of any vehicles part or com rehicle`s frame and body, nor every pa ch Inc`s determined tests does not inc	onsibility for any loss, damage, or injury to I by European Coach Inc) of any vehicle. ng warranty, merchant-ability or fitness for a aponent thereof (whether or not inspected art or component of a vehicle. European Coach clude extensive dismantling and does not ansibility for any changes to any vehicle or for